



UNITED STATES DEPARTMENT OF COMMERCE  
U.S. Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---------------------------------------------------	---------------------

EXAMINER

ART UNIT      PAPER

12062004

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See the attached letter.

Mary (Molly) E. Ceperley  
Primary Examiner  
Art Unit: 1641

Art Unit: 1641


**1)** All claims are allowable. However, due to a potential interference, *ex parte* prosecution is SUSPENDED FOR A PERIOD OF SIX MONTHS from the date of this letter. Upon expiration of the period of suspension, applicant should make an inquiry as to the status of the application.


**2)** Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary (Molly) E. Ceperley whose telephone number is (571) 272-0813. The examiner can normally be reached from 8 a.m. to 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le, can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

December 06, 2004

  
Mary (Molly) E. Ceperley  
Primary Examiner  
Art Unit 1641

  
JASEMINE C. CHAMBERS  
DIRECTOR  
TECHNOLOGY CENTER 1600